



011-7S2996 F

SOLERGY

TAN 2004

2,11 m²

TANCREDI SRL



50 °C



A+

AAA

AA

A+++

A++

A+

A

A-

■ 786

■ 844

■ 1560

kWh/a

Stockholm **A+**

Würzburg **A+**

Athens **A+++**

www.dincertco.de





011-7S2996 F

SOLERGY

TAN 2004

2,11 m²

TANCREDI SRL

50 °C



75 °C



A+

A-

AAA

AA

A+++

A++

A+

A

A-

786	■	464
844	■	490
1560	■	982

kWh/a

kWh/a

A+

Stockholm

A-

A+

Würzburg

A-

A+++

Athens

A+



www.dincertco.de



011-7S2996 F

SOLERGY

TAN 2304

2,31 m²

TANCREDI SRL



50 °C



A+

AAA

AA

A+++

A++

A+

A

A-

■ 860

■ 924

■ 1708

kWh/a

Stockholm **A+**

Würzburg **A+**

Athens **A+++**

www.dincertco.de





011-7S2996 F

SOLERGY

TAN 2304

2,31 m²

TANCREDI SRL

50 °C



75 °C



A+

A-

AAA

AA

A+++

A++

A+

A

A-

860 508

924 536

1708 1075

kWh/a

kWh/a

A+

Stockholm

A-

A+

Würzburg

A-

A+++

Athens

A+



www.dincertco.de



011-7S2996 F

SOLERGY

TAN 2504

2,52 m²

TANCREDI SRL



50 °C



A+

AAA

AA

A+++

A++

A+

A

A-

- 938
- 1008
- 1863

kWh/a

Stockholm **A+**

Würzburg **A+**

Athens **A+++**

www.dincertco.de





011-7S2996 F

SOLERGY

TAN 2504

2,52 m²

TANCREDI SRL

50 °C



75 °C



A+

A-

AAA

AA

A+++

A++

A+

A

A-

938 555

1008 585

1863 1172

kWh/a

kWh/a

A+

Stockholm

A-

A+

Würzburg

A-

A+++

Athens

A+



www.dincertco.de